Quick Details

[illegible]	100% [illegible]TC[illegible]......
[illegible]	210-240cm
[illegible]	[illegible]
[illegible]	[illegible]
[illegible]	130-800GSM
[illegible]	300000m/[illegible]
[illegible]	[illegible]
[illegible]	[illegible]
[illegible]	[illegible]
[illegible]	[illegible]
[illegible]	LC[illegible]DA[illegible]DP[illegible]TT[illegible]

[illegible]

[illegible] [illegible] y [illegible]e.[illegible]

[illegible]

[illegible]

[illegible]

Product Details





Quality Control

BEST MATERIAL

DETAILS NOTE DOWN



DETAILS ON FABRIC

FABRIC FIRST TIME CHECKING

WEIGHT CHECKING



WIDTH CHECKING

DESIGN CHECKING

QUANTITY CHECKING

TRY BEST TO LOAD FULL

Our Factory

Packing

Our Service

1.15 □□□□□□□□□□□□
2.□□ □□ □□□□
3.□□□□□□□□□□
4.□□□□ □ □□ □ □ □□
5. □□□□□□□□□□□□
6.□□ □□ □□ □ □□ □□□
7.□□ □□ □□ □□
8.□□ □□
9.□□ □□ □□□□ □□**service@hyaindustry.com**

□□□□□□□□□□□□□ □□□ □ □□ □□□
□□□□□□ □□ □□ □□ □□ □□ □ □□ □□□ □ □□ □□

Fair

Consumer Evaluation

□□tc□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□……□□stichbond□□□□□□□□□□□□