# Quick Details

| | |
|---|---|
| [illegible] | [illegible]/[illegible] |
| [illegible] | 20-50mm |
| [illegible] | [illegible] |
| [illegible] | [illegible] |
| [illegible] | [illegible] |
| [illegible] | 10000000m/[illegible] |
| [illegible] | [illegible] |
| [illegible] | [illegible] |
| [illegible] | [illegible] |
| [illegible] | [illegible] |
| [illegible] | LC,DA ,DP ,TT [illegible] |

[illegible] [illegible]/[illegible]

[illegible]

[illegible]

**Stichbond[illegible]**

[illegible]

[illegible]

# Product Details





knitted structure





woven structure

## Application

## Quality Control

BEST MATERIAL

DETAILS NOTE DOWN



DETAILS ON FABRIC

FABRIC FIRST TIME CHECKING

WEIGHT CHECKING



WIDTH CHECKING

DESIGN CHECKING

QUANTITY CHECKING

TRY BEST TO LOAD FULL

## Our Factory

## Packing

## Our Service

1.15 □□□□□□□□□□□□□□
2.□□ □□ □□□□
3.□□□□□□□□□□
4. □□□□ □ □□ □ □ □□
5. □□□□□□□□□□□□
6.□□ □□ □□ □ □□ □□□
7.□□ □□ □□ □□
8.□□ □□
9.□□ □□ □□□□ □□**service@hyaindustry.com**

□□□□□□□□□□□□□ □□□ □ □□ □□□
□□□□□□ □□ □□ □□ □□ □□ □ □□ □□□ □ □□ □□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□tc□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□……□□stichbond□□□□□□□□□□□□□□□□